

# JavaScript: Coercion and Functions

Computer Science and Engineering ■ College of Engineering ■ The Ohio State University

## Lecture 23

# Conversion of Primitive Values

		string	number	boolean
numbers	0	"0"		false
	-0	"0"		false
	1	"1"		true
	NaN	"NaN"		false
	Infinity	"Infinity"		true
	-Infinity	"-Infinity"		true
	6.022e23	"6.022e+24"		true

# Conversion of Primitive Values

		string	number	boolean
boolean	true	"true"	1	
	false	"false"	0	
strings	""		0	false
	" "		0	true
	"1.2"		1.2	true
	"0"		0	true
	"one"		NaN	true

# Conversion of Primitive Values

		string	number	boolean
<b>undefined</b>	undefined	"undefined"	NaN	false
<b>null</b>	null	"null"	0	false

# Summary of (Simple?) Rules

- How do numbers convert to things?
  - Boolean: 0 is false, non-0 is true (exception: NaN)
- How do strings convert to things?
  - Numbers: non-valid syntax give NaN (exception: empty/blank give 0)
  - Boolean: true, only empty string is false
- How does undefined convert to things?
  - Number: NaN
- How does null convert to things?
  - Number: 0

# Easier? Column-Major View

- How do things convert to boolean?
  - Empty string is `false`
  - Numbers (+/-) 0 and `NaN` are `false`
  - `undefined` and `null` are `false`
- Aka “falsy” (vs. “truthy”)
- Importance: Boolean contexts
  - `if (pet)...` // *evaluate pet as a boolean*
- Pitfall: `&&`, `||` may not result in a boolean
  - `x || y` means `x ? x : y` (first `x` converted)
    - `p = "cat" || "dog" //=> p == "cat"`
  - Old idiom: `!!x` forces conversion to boolean
    - `p = !!("cat" || "dog") //=> p == true`

# Easier? Column-Major View

- How do things convert to Numbers?
  - Empty (and whitespace) string is 0
  - Non-numeric strings are **NaN**
  - **undefined** is **NaN**
  - **null** is 0
- Importance: Used in **==** evaluation

# == Evaluation is... Different

- When types do not match, coerce:
  - `null` & `undefined` (only) equal each other
  - Strings & booleans converted to *numbers*  
`"1.0" == true` && `"" == false`  
`" " == false` // *but " " is truthy!*
  - Pitfall: `NaN` is *not equal* to `NaN`
- When *one* operand is an object:
  - Convert via `valueOf` (fall back to `toString`)
  - Result then compared with usual `==` rules
  - Note: no coercion when *both* operands are references (`==` means reference equality)
- Sanity:
  - Use `===` since it never coerces



# Your Turn

Evaluate: True or false?

`true == '1'`

`'false' == false`

`0 == '0'`

`0 == ''`

`NaN == NaN`

# Surprising Consequences

```
false == 'false' //=>
false == '0' //=>
!!'0' //=>
('0' == 0) && (0 == '') &&
('0' != '') //=>
(NaN == true) || (NaN == false)
//=>
!!NaN //=>
(NaN != 0) && (!!NaN == !!0)
//=>
```

□ [dorey.github.io/JavaScript-Equality-Table](https://dorey.github.io/JavaScript-Equality-Table)

# Functions are People too

- Named functions: declaration & use

```
function foo(a, b) { ... }  
foo("hi", 3);
```

- Anonymous functions


```
function(a, b) { ... }  
// how is such a thing invoked?
```

- Functions are objects (first-class citizens)

- They can be assigned to variables!

```
let foo = function(a, b) {...};  
foo("hi", 3);  
let bar = foo; // cf. let bar = foo();  
bar("world", 17);
```

# Functions are Objects



# Functions Can Be Arguments

```
function apply(f, a) {  
    return f(a); // f is a function!  
}
```

```
function square(i) {  
    return i * i;  
}
```

```
apply(square, 5) //=> 25
```

# Functions Can Be Return Values

```
function grantDegree() {  
    function addTitle(name) {  
        return `Dr. ${name}`;  
    }  
    return addTitle; // a function!  
}
```

```
let phd = grantDegree();  
phd("Turing"); // phd is a function  
phd(3/2); //=> "Dr. 1.5"
```

# Closures

```
function greaterThan(bound) {  
  function compare(value) {  
    return value > bound;  
  }  
  return compare; // 1-arg function  
}
```

```
let testPos = greaterThan(0);  
testPos(4) //=> true  
testPos(-3) //=> false
```

# Closures + Anonymity

```
function greaterThan (bound) {  
  function compare (value) {  
    return value > bound;  
  }  
  return compare; // 1-arg function  
}
```

```
let testPos = greaterThan(0);  
testPos(4) //=> true  
testPos(-3) //=> false
```



# Closures + Anonymity

```
function greaterThan (bound) {  
  let compare = function (value) {  
    return value > bound;  
  }  
  return compare; // 1-arg function  
}
```

```
let testPos = greaterThan(0);  
testPos(4) //=> true  
testPos(-3) //=> false
```

# Closures + Anonymity

```
function greaterThan (bound) {  
  return function (value) {  
    return value > bound;  
  }  
}
```

```
let testPos = greaterThan(0);  
testPos(4) //=> true  
testPos(-3) //=> false
```

# Arrow Function Expressions

- Concise notation for anon. functions
- Syntax:
  - Omit `function` keyword
  - Place arrow `=>` between params and body
  - `(a, b = 10) => { ... }`  
`(r) => { return Math.PI * r**2 }`
- For one-liner, can omit `return` and `{}` 's  
`(r) => Math.PI * r**2`
- For one parameter, can omit `()` 's  
`r => Math.PI * r**2`
- Use where function expressions needed  
`let area = r => Math.PI * r**2`

# Closures + Anonymity Revisited

```
function greaterThan (bound) {  
    return value => value > bound;  
}
```

```
let testPos = greaterThan(0);  
testPos(4)    //=> true  
testPos(-3)  //=> false
```

# Summary

- Truthy, falsey, and friends
  - Type coercion is everywhere
  - Coerce to boolean in conditionals
  - Coerce to number for `==`
- Functions as first-class citizens
  - Can be passed as arguments
  - Can be returned as return values!
  - Closure: carry their context

# IIFE

- Immediately Invoked Function Expression
  - Define *and* invoke function at the same time
- Basic forms:
  - `(function() { /* code here */ }) ();`
  - `let n = function() { /* code here*/ } ();`
- Work-around for weird JavaScript scoping
  - `var` scopes variables to the enclosing *function*
  - IIFE creates a lexical scope (with closures)
- Modern JavaScript has `let` (and `const`)
  - These scope variables to the enclosing *block*
  - General advice: prefer `let` to `var`
  - But IIFEs are still encountered in the wild